

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/7

Special Liquid Concentrate

Revision 0 Revision date 2025-01-13

050510114 11 49 4	
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Special Liquid Concentrate
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
Description	Foundry material.
1.3. Details of the supplier of the	safety data sheet
Company	Ransom & Randolph
Address	3535 Briarfield Boulevard Maumee, Ohio 43537 USA
Web	www.ransom-randolph.com
Telephone	+1 (419) 865-9497
Fax	+1 (419) 865-9997
Email	SDS@ransom-randolph.com
Email address of the competent person	rcarter@ransom-randolph.com
1.4. Emergency telephone numb	per
Emergency telephone number	USA +1 419 865 9497
Company	Ransom & Randolph Co.
	08:00-17:00 (US Eastern Std. / GMT minus 5)
	For medical advice contact:
	NHS 111 in England: 111
	NHS 24 in Scotland: 111 NHS Direct in Wales: 111 or 0845 4647
SECTION 2: Hazards identifi	ication

2.2. Label elements

	This substance / mixture has been classified in accordance with the US Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Substance concentration band-ranges are presented, and minor ingredient composition maybe withheld, to protect trade secrets.
Precautionary Statement:	P262 - Do not get in eyes, on skin, or on clothing.
Prevention	Wear suitable gloves and eye/face protection.
Hazard Statement	No Significant Hazard
0.0.045 5	

2.3. Other hazards

Other hazards	Portions of the amorphous silica may be converted to crystalline silica (cristobalite) when subjected
	to higher temperatures (1700° F / 927° C), such as when used in a mold for ferrous and other high

Revision 0
Revision date 2025-01-13

2.3. Other hazards	
	temperature alloy castings. The exposure to crystalline silica is highest at the mold knockout stage of the casting process.
	Avoid breathing dust/fume/gas/mist/vapours/spray.
	Exposure to respirable crystalline silica may cause lung disease and cancer.
Further information	
	Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
deionized water		7732-18-5	231-791-2		60 - 70%	ó
silica (amorphous)		7631-86-9	231-545-4		20 - 30%	ó ·

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash with soap and water.	
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	May cause irritation to mucous membranes.	

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention if irritation or symptoms persist.	

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear suitable protective clothing.

SECTION 6: Accidental release measures

Revision 0 Revision date 2025-01-13

6.1. Personal precautions, prote	ctive equipment and emergency procedures	Revision date 2025-01-13
	Wear suitable protective equipment.	
6.2. Environmental precautions	•	
	Do not allow product to enter drains.	
6.3. Methods and material for co	ontainment and cleaning up	
	Absorb with inert, absorbent material. Trai	nsfer to suitable, labelled container.
6.4. Reference to other sections		
	See section for further information.	
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handlir		
	Avoid contact with eyes and skin. Ensure after handling the product.	adequate ventilation of the working area. Wash hands
7.2. Conditions for safe storage,	including any incompatibilities	
	Keep in a cool, dry, well ventilated area. K	Keep containers tightly closed.
7.3. Specific end use(s)		
	Foundry material.	
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
	exposure limits: Silica, vitreous (fused, ar fraction).	morphous) 80 mg/m3 / (% Silica), TWA PEL (respirable
8.1.1. Exposure Limit Values		
Special Liquid Concentrate (Matrixsol(TM) 30 colloidal silica)	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working	g area.
8.2.2. Individual protection measures	Apron (Plastic or rubber).	
Eye / face protection	In case of splashing, wear:. Approved safe	ety goggles.

In case of insufficient ventilation, wear suitable respiratory equipment.

Wear suitable gloves.

Skin protection -

Handprotection
Respiratory protection

Revision 0
Revision date 2025-01-13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Slight
pH	> 9.5 - 10.3
Melting point	Not applicable.
Freezing Point	≈ 0 °C
Initial boiling point	≈ 100 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	No data available
Lower Explosive Limit	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Fat Solubility	Not applicable.
Partition coefficient	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	Not applicable.
Solubility	Miscible in water

9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
1.1 - 1.3
Not applicable.
Not applicable.
Not applicable.

SECTION 10: Stability and reactivity

10.1. Reacti	vity
--------------	------

Not applicable.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No Significant Hazard.

10.4. Conditions to avoid

Direct sunlight. Do NOT allow to freeze.

10.5. Incompatible materials

Avoid contact with:. Sodium chloride.

10.6. Hazardous decomposition products

Revision 0 Revision date 2025-01-13

10.6. Hazardous decomposition	products		
	None.		
SECTION 11: Toxicological	information		
11.1 Information on hazard class	ses		
Acute toxicity	Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	May cause irritation to skin.		
Serious eye damage/irritation	May cause irritation to eyes.		
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT-single exposure	Based on available data, the classification criteria are not met.		
STOT-repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the classification criteria are not met.		
Repeated or prolonged exposure	May cause irritation to skin.		
11.1.4. Toxicological Information	١		
Special Liquid Concentrate	Oral Rat LD50: >5 g/kg Dermal Rabbit LD50: >5000 g/kg		
SECTION 12: Ecological info	ormation		
12.1. Toxicity			
	No data available		
12.2. Persistence and degradab	ility		
	No data is available on this product.		
12.3. Bioaccumulative potential			
	<u></u>		
	Does not bioaccumulate.		
Partition coefficient			
	Special Liquid Concentrate No data available		
12.4. Mobility in soil			
12.4. WODING III 3011			
12.4. Wobility III 30II	Not determined.		
12.5. Results of PBT and vPvB	!		
	!		
	assessment Not applicable.		
12.5. Results of PBT and vPvB	assessment Not applicable.		
12.5. Results of PBT and vPvB	assessment Not applicable. Prties		
12.5. Results of PBT and vPvB at 12.6 Endocrine disrupting proper	assessment Not applicable. Prties		
12.5. Results of PBT and vPvB at 12.6 Endocrine disrupting proper	assessment Not applicable. Prties No data available. Not applicable.		

Revision 0 Revision date 2025-01-13

	Novision date 2020-01-10
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations.
Disposal methods	
	Contact a licensed waste disposal company.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk	according to IMO instruments
	The product is not classified as dangerous for carriage.
Further information	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulations	U.S. FEDERAL REGULATIONS:
	CERCLA 103 Reportable Quantity: Special Liquid Concentrate, Special Liquid Concentrate Plus, & FastFire Liquid are not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.
	SARA TITLE III:
	Hazard Category For Section 311/312: None
	Section 313 Toxic Chemicals: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None
	Section 302 Extremely Hazardous Substances (TPQ): None
	EPA Toxic Substances Control Act (TSCA) Status: All of the components of this product are listed on the TSCA inventory.

Revision 0 Revision date 2025-01-13

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

INTERNATIONAL REGULATIONS:

Canadian WHMIS Classification: Not a controlled product.

Canadian Environmental Protection Act: All of the components in this product are listed on the

Domestic Substances List (DSL).

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

IARC and SCOEL publications

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..."

So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required.

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.