

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

Solitaire investment

Revision Revision date 2024-02-02

1.1. Product identifier

Product name Solitaire investment

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Foundry material.

1.3. Details of the supplier of the safety data sheet

Ransom & Randolph Company

Address 3535 Briarfield Boulevard

Maumee, Ohio 43537 USA www.ransom-randolph.com

Telephone +1 (419) 865-9497

Fax +1 (419) 865-9997

Email SDS@ransom-randolph.com Email address of the rcarter@ransom-randolph.com

competent person

Web

1.4. Emergency telephone number

Emergency telephone number

Company

USA +1 419 865 9497

Ransom & Randolph Co.

08:00-17:00 (US Eastern Std. / GMT minus 5)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Repr. 1B: H360FD; STOT RE 1: H372;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

STOT RE 1: H372 - Causes damage to organs (lungs) through prolonged or repeated exposure

inhalation.

Precautionary Statement:

Prevention

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

Revision 1 Revision date 2024-02-02

2.2. Label elements

Other hererde	Draduat contains requireble or stelling siling (DCC)
2.3. Other hazards	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to local and national regulations
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Response	P308+P313 - IF exposed or concerned: Get medical advice/attention. P314 - Get medical advice/attention if you feel unwell.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Other hazards	Product contains respirable crystalline silica (RCS).
	Not applicable. PBT and vPvB assessment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Silica (cristobalite)		14464-46-1	238-455-4		30 - 40%	STOT RE 1: H372;
Quartz		14808-60-7	238-878-4		30 - 40%	STOT RE 1: H372;
Calcium sulfate (Plaster of Paris)		26499-65-0			20 - 30%	
boric acid	005-007-00-2	10043-35-3	233-139-2		0.5 - 1%	Repr. 1B: H360FD;

Particle Characteristics

Ful	l text for all Risk Phrases	mentioned in this sec	ction are displayed in Section 16.
-----	-----------------------------	-----------------------	------------------------------------

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.	
Skin contact	Wash with soap and water.	
Ingestion	Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause irritation to skin.	
Ingestion	May cause irritation to mucous membranes.	

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

Revision 1 Revision date 2024-02-02


	Revision date 2024-02-02
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear suitable protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Avoid formation of dust. Wear suitable respiratory equipment when necessary.
6.2. Environmental precautions	
	No environmental requirements.
6.3. Methods and material for co	ontainment and cleaning up
	Avoid raising dust. Clean the area using a vacuum cleaner. Transfer to suitable, labelled container.
6.4. Reference to other sections	
	See section for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	ng
	Ensure adequate ventilation of the working area. Avoid formation of dust. In case of insufficient ventilation, wear suitable respiratory equipment.
	Do not eat, drink or smoke in areas where this product is used or stored. Wash hands after handling the product.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep containers tightly closed.
7.3. Specific end use(s)	
	Foundry material.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Ensure adequate ventilation of the working area.
8.1.1. Exposure Limit Values	

Revision 1 Revision date 2024-02-02

8.1.1. Exposure Limit Values

Calcium sulfate (Plaster of Paris)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10 inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Quartz	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: .1
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 1 Revision date 2024-02-02

9.1. Information on basic physical and chemical properties

Appearance	Powder
	Off white
Odour	
Density / Relative Density	
	No data available
Oxidising properties	
	Not applicable.
Partition coefficient	
Autoignition temperature	
•	Not applicable.
	Not applicable.
Initial boiling point	
	Not applicable.
Evaporation rate	•
Flammability (solid, gas)	
Vapour pressure	
Relative Vapour Density	
	Slightly soluble in water
Solubility	Silgritiy Soluble III water

9.2. Other information

Conductivity	No data available
	No data available
	No data available
Benzene Content	
	Not applicable.
VOC (Volatile organic	
compounds)	· · · · · · · · · · · · · · · · · · ·

SECTION 10: Stability and reactivity

10.1. Reactivity

10:1:1 Rodolivity		
	Not applicable.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous re	actions	
	No Significant Hazard.	
10.4. Conditions to avoid		
	No Significant Hazard.	
10.5. Incompatible materials		
	No Significant Hazard.	
10.6. Hazardous decomposition products		
	Hazardous Decomposition Products (silica):	Crystalline silica will dissolve in hydrofluoric acid

SECTION 11: Toxicological information

and produce silicone tetrafluoride. Reaction with water or acids generates heat.

Revision Revision date 2024-02-02

11.1 Information on hazard classes

11.1 Information on hazard class	5 6 S		
Acute toxicity	Not applicable. Based on available data, the classification criteria are not met.		
Skin corrosion/irritation	Not applicable. Based on available data, the classification criteria are not met.		
Serious eye damage/irritation	Not applicable. Based on available data, the classification criteria are not met.		
Respiratory or skin sensitisation	Not applicable. Based on available data, the classification criteria are not met.		
Germ cell mutagenicity	Not applicable. Based on available data, the classification criteria are not met.		
Carcinogenicity	Not applicable. Based on available data, the classification criteria are not met.		
Reproductive toxicity	May cause harm to the unborn child.		
	May impair fertility.		
STOT-single exposure	Not applicable. Based on available data, the classification criteria are not met.		
STOT-repeated exposure	Chronic effects Prolonged inhalation of respirable crystalline silica In 1997, the International Agency for Research on Cancer (IARC) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France). In June 2003, the European Commission's Scientific Committee for Occupational Exposure Limits (SCOEL) concluded: "that the main effect in humans of the inhalation of respirable crystalline silica is silicosis. There is sufficient information to conclude that the relative lung cancer risk is increased in persons with silicosis (and apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk. Since a clear threshold for silicosis development cannot be identified, any reduction of exposure will reduce the risk of silicosis." (SCOEL SUM Doc 94-final on respirable crystalline silica, June 2003)		
	There is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required (see Section 16).		
Aspiration hazard	Not applicable. Based on available data, the classification criteria are not met.		
Repeated or prolonged exposure	Inhalation of dust may cause shortness of breath.		
11.1.4. Toxicological Information	11.1.4. Toxicological Information		
Solitaire investment	Oral Mouse LD50: >5000 mg/kg		
SECTION 12: Ecological information			
12.1. Toxicity			

Solitaire investment	Of a Mouse EDGO. > 3000 Hig/kg

Solitaire investment	Fish LC50/96h: 10000.000 mg/l
----------------------	-------------------------------

12.2. Persistence and degradability

Not applicable.

12.3. Bioaccumulative potential

Does not bioaccumulate.

Revision 1 Revision date 2024-02-02

	Revision date 2024-02-02	
Partition coefficient		
	Solitaire investment Not applicable.	
40.4 Mahilihuin asil		
12.4. Mobility in soil	Inches a	
40.5 D. W. (DDT. J. D.D.	Not determined.	
12.5. Results of PBT and vPvB		
10.7.04	Not determined.	
12.7 Other adverse effects	T.,	
	Not applicable.	
SECTION 13: Disposal cons	siderations	
13.1. Waste treatment methods		
	Dispose of in compliance with all. local and national regulations.	
Disposal methods		
	Contact a licensed waste disposal company.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.	
Further information	·	
	For disposal within the EC, the appropriate code according to the European Waste Catalogue	
	(EWC) should be used.	
SECTION 14: Transport info	rmation	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name	·	
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es	· ;)	
	The product is not classified as dangerous for carriage.	
14.4. Packing group	<u> </u>	
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for us		
	The product is not classified as dangerous for carriage.	
14.7 Maritime Transport in bulk		
	The product is not classified as dangerous for carriage.	
Further information	1	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory information		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
Regulations	EU REGULATIONS:	

Revision 1
Revision date 2024-02-02

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Candidate List - Regulation (EC) No 1907/2006, REACh Article 59(1).

Boric Acid, CAS 10043-35-3, EC List 233-139-2 is present in this mixture.

Authorizations - Regulation (EC) No 1907/2006, REACh Annex XIV Substances subject to authorization, as amended. No substances present, or no substances present in regulated quantities.

Restrictions on intended use at Industrial Sites - Regulation (EC) No 1907/2006, REACh Annex XVII Substances subject to restriction on marketing and use, as amended. No substances present, or no substances present in regulated quantities.

Other EU legislation:

Commission Regulation (EU) No 474/2014 of 8 May 2014 amending Annex XVII to Regulation (EC) No 1907/2006.

Commission Regulation (EU) No 944/2013 of 2 October 2013 (5th ATP) amending Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

15.2. Chemical safety assessment

No data is available on this product.

SECTION 16: Other information

Other information

Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

Social Dialogue on Respirable Crystalline Silica

A multi-sectoral social dialogue agreement on Workers Health Protection through the Good Handling and Use of Crystalline Silica and Products Containing it was signed on 25 April 2006. This autonomous agreement, which receives the European Commission's financial support, is based on a Good Practices Guide. The requirements of the Agreement came into force on 25 October 2006. The Agreement was published in the Official Journal of the European Union (2006/C 279/02). The text of the Agreement and its annexes, including the Good Practices Guide, are available from http://www.nepsi.eu and provide useful information and guidance for the handling of products containing respirable crystalline silica. Literature references are available on request from EUROSIL, the European Association of Industrial Silica Producers,.

STOT RE1: H372 - DANGER - Causes damage to lungs through prolonged or repeated exposure by inhalation.

Revision

This document differs from the previous version in the following areas:.

- 2 2.1. Classification of the substance or mixture.
- 3 Further information.
- 15 Labelling.
- 15 Hazard Statement.
- 15 Safety phrases.
- 15 Regulations.

Text of Hazard Statements in Section 3

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

Repr. 1B: H360FD - May damage fertility. May damage the unborn child.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

Revision 1 Revision date 2024-02-02

Further information	
	combination with any other materials or in any other process.